




सत्यमेव जयते



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-Section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 593]

नई दिल्ली, मंगलवार, सितम्बर 19, 1989/भाद्र 28, 1911

No. 593]

NEW DELHI, TUESDAY, SEPTEMBER 19, 1989/BHADRA 28, 1911

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a
separate compilation

उद्योग मंत्रालय	(1)	(2)	(3)
(कंपनी कार्य विभाग)	1. पालिगुस्टर स्टेकिल फाइबर	60,000	टन
अधिसूचना	2. पालिगुस्टर फ़िलामेंट सूत	25,000	टन
नई दिल्ली, 19 सितम्बर, 1989	3. नाइलोन फ़िलामेंट सूत औद्योगिक सूत	15,000	टन
का.भा. 745 (अ) :- केन्द्रीय सरकार की यह राय है कि लोकहित में ऐसा करना आवश्यक और समीचीन है ;	4. एथ्रिलिक फाइबर	20,000	टन
अतः, अब, केन्द्रीय सरकार, एकाधिकार, तथा अवरोधक व्यापारिक व्यवहार नियम, 1970 के नियम 42क के उपनियम (5) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, भारत सरकार के उद्योग मंत्रालय (कंपनी कार्य विभाग) की अधिसूचना सं. 299 (अ), तारीख 28 मई, 1986 में निम्नलिखित संशोधन करती है, अर्थातः—	5. निम्न घनत्व पालिगुथीलीन	1,00,000	टन
	6. मीनियर निम्न घनत्व पालिगुथीलीन	80,000	टन
उक्त अधिसूचना की अनुसूची में—	7. उच्च घनत्व पालिगुथीलीन	1,00,000	टन (पंक प्रक्रिया) 1,60,000 टन [लीनियर निम्न घनत्व पालिगुथीलीन (लीनिघपाए) और उच्च घनत्व पालिगुथीलीन (उघपाए) के लिए प्रदत्त प्रक्रिया]
(1) क्रम सं. 1, 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 14, 17, 18, 20, 21, 54, और 55 से संबंधित प्रविष्टियों के स्थान पर, निम्नलिखित प्रविष्टियाँ रखी जाएंगी, अर्थात :-			

(1)	(2)	(3)	1	2	3
8. पालिप्रोपीलीन	1,00,000 टन		(2) विद्युत मोटर		
10. पालिस्टाइरीन	40,000 टन		(i) विच्छेदक ग्रहण शक्ति मोटर (बीएसपी) एक लाख संख्या में		
11. एन्थ्रोप्रीनोड्रिन बुटाडिन स्टाइरीन	20,000 टन		(ii) एक ग्रहण शक्ति और उससे ऊपर के मोटर एक लाख संख्या में		
12. (i) डिमिथाइल टेरिफिथिनेट	1,00,000 टन		(3) परिपथ विच्छेदक		
(ii) शुद्ध टेरिफिथिनेट ग्रमल	2,00,000 टन		(i) 33 किलोवोल्ट (कि. वो.)	1,000 संख्या में	
14. लीनियर एल्काहल बेन्जीन	80,000 टन		(ii) 66 किलो वोल्ट और उस कम (कि. वो)	300 संख्या में	
17. मोनो एथीलीन ग्लाइकोल	1,00,000 टन		(4) केबिल और चालक		
18. फिब्रिलक एनिहाउड्राइड	20,000 टन		(i) सभी एलमूनियम चालक (सएच) एलमूनियम चालक इस्पात प्रतूलित (एच धाई) प्रचालक	15,000 मेगा टन	
20. प्रोपीलीन ग्लाइकोल पालिप्रोस	25,000 टन (क्लोरो हाइड्रिन रुट)		(ii) पोलिक्लोराइल क्लोराइड (पाक्लो) और क्लोरीन भारतीय खर (ब भार) केबिल और अन्य (घरेलू प्रकार से भिन्न)	15 लाख करोड़ मीटर	
21. स्टाइरीन बुटाडीन रबड़	1,00,000 टन		(iii) विसर्पी तार	5,000 मेगावाट	
54. छोटे इस्पात संयंत्रों द्वारा विद्युत बार्क भट्टी रुट द्वारा इस्पात बनाना।	1,50,000 टन (न्यूनतम 30% के विस्तार तक स्पंज लोहे का प्रयोग करने की विद्युत के आश्वासन की क्षमता की शर्त पर और प्रस्ताव के अंतर्गत 25 टन की क्षमता से अत्युत्त की एक नई भट्टी का संस्थापन अंतर्भूत है)।		(iv) शक्ति केबिल	5,000 करोड़ किलोमीटर	
55. शीत विलयन इस्पात पट्टियाँ/चादरें	50,000 टन		(5) मोटर आरंभक	5,00,000 लाख संख्या में	
(ii) कम संख्या 24 और उससे संबंधित प्रविष्टियों के पश्चात्, निम्न-लिखित क्रम संख्या और प्रविष्टियों जोड़ी जाएंगी, अर्थात् :—			(6) संपर्क कारक (जिसके अंतर्गत वे संपर्क कारक भी हैं जिनका आरंभकों में प्रयोग किया जाता है)	एक लाख संख्या में	
"85. श्वेत माल			(7) निम्न विभव (निचि) / उच्च विभव (उचि) / संघारित्र	500 मेगावोल्ट एम्पीयर अभिक्रियाशिल (मेवोए)	
(क) शीप फीजर			(8) आरंभिक और निरोधी संघारित्र	एक लाख संख्या में	
(ख) बुलाई मशीन (कार्यक्रमयोग्य प्रकार का)	2,00,000 संख्या में		(9) गृह सेवा मीटर	एक लाख संख्या में	
(ग) पात्र घाबित			(10) लघु परिपथ विच्छेदक	2.5 लाख संख्या में	
(घ) निर्वात मार्जक			(11) ठोके के सपरिपथ क विच्छेदक	1,00,000 संख्या में	
86. फ़ेरोनिकल जिसमें 10% निकल है	15,000 टन [विद्युत के आश्वासन की शर्त पर प्रयोग की जाने वाली न्यूनतम प्रकार की विद्युत भट्टी 15 मेगावाट एम्पीयर होनी (मेवाए) और प्रस्तावित प्रक्रिया रुट के अंतर्गत पूर्व-तापन और पूर्वसंचरण सुविधाओं का संस्थापन सम्मिलित होना चाहिए]		(12) डिष्टधारा (दिघा) / एकांतर धारा (एघा) परिचालन	5,000 संख्या में	
87. विद्युत उपकरण			(13) प्लग और शाफेट	2.5 लाख संख्या में	
(1) ट्रांसफार्मर			88. वर्णन-रोटी बेयोरिंग	10 लाख संख्या में	
(i) वितरण ट्रांसफार्मर	500 मेगावाट एम्पीयर (मेवोए)		89. नैपथ/नैस कंकर	3,00,000 से 4,00,000 टन (एथोलीन के आधार पर)	
(ii) कवित ट्रांसफार्मर	4,000 मेगा वोल्ट एम्पीयर (मेवोए)		90. एथिलीन प्रावीलीन डाइ-ईनएकलक	10,000 टन	
			91. ब्यूटिल रबर	25,000 टन	
			92. एल्फा ओलफिन	1,00,000 टन	
			93. बहु-ब्यूटीन	5,000 टन	
			94. बिनाइल एसोडेट एकलक	10,000 टन	
			95. द्विपक्षीय जनित पालिप्रावीलीन (द्विपक्षीय) फिल्म	5,000 टन	
			96. पालिएस्टर फिल्म	5,000 टन	

1981, published at pages 733-734 of Part II-Section 3-Sub-section (ii) of the Gazette of India Extra-ordinary. dated the 11th June, 1981, namely :—

In the said notification for serial number 4 and the entry relating thereto, the following shall be substituted, namely :—

“4. Shri V. Balasubramanian,
Joint Secretary,
Ministry of Textiles,
Udyog Bhavan,
New Delhi.”

[File No. 22/10/80-WT (PT)]

ASHISH BAHUGUNA, Dy. Secy.

Note : The principal notification was notified vide No. S.O. 432(E) dated the 11th June, 1981 and subsequently amended vide :—

- SO No. 489(E), dated 18th June, 1981 ;
- SO No. 798 (E), dated 13th November, 1981 ;
- SO No. 26 (E), dated 18th January, 1983 ;
- SO No. 530 (E), dated 30th July, 1983 ;
- SO No. 282 (E), dated 12th April, 1984 ;
- SO No. 545 (E), dated 31st July, 1984 ;
- SO No. 139 (E), dated 14th February, 1985 ;
- SO No. 734 (E), dated 9th October, 1985 ;
- SO No. 675 (E), dated 17th September, 1986 ;
- SO No. 800(E), dated 30th October, 1986 ;
- SO No. 401 (E), dated 19th April, 1988 ;
- SO No. 587 (E), dated 16th June, 1988 ;
- SO No. 1207 (E), dated 28th December, 1988.

1	2	3	2	3
5. Low Density Poly Ethylene	1,00,000 tonnes		87. Electrical Equipments	
6. Linear Low Density Poly Ethylene	80,000 tonnes		(1) Transformers	
7. High Density Poly Ethylene	1,00,000 tonne (Slurry Process) 1,60,000 tonnes [Swing Process form Linear Low Density Poly Ethylene (LLDPE) and High Density Poly Ethylene (HDPE)]		(i) Distribution Transformers	500 Mega Volt Ampered (MVA)
8. Polypropylene	1,00,000 tonnes		(ii) Power Transformers	4,000 Mega Volt Amperes (MVA)
10. Polystyrene	40,000 tonnes		(2) Electric Motors	
11. Acrylonitrile Butadiene Styrene	20,000 tonnes		(i) Break Horse Power Motors (BHP)	one million numbers
12. (i) Dimethyl Terephthalate	1,00,000 tonnes		(ii) Motors 1 Horse Power and above	one million numbers
(ii) Pure Terephthalic Acid	2,00,000 tonnes		(3) Circuit Breakers	
14. Linear Alkyl Benzene	80,000 tonnes		(i) 33 Killo Volt (KV) and below	1,000 numbers
17. Mono Ethylene Glycol	1,00,000 tonnes		(ii) above 66 Killo Volt (KV)	300 numbers
18. Phthalic Anhydride	20,000 tonnes		(4) Cables and Conductors	
20. Propylene Oxide/Polyols (Chlorophydrin route)	25,000 tonnes		(i) All Aluminium Conductors (AAC) Aluminium Conductors Steel Re-inforced (ACSR) Conductors	15,000 Mega tonne
21. Styrene Butadiene Rubber	1,00,000 tonnes		(ii) Poly Vinyle Chloride (PVC) and Vulcanised Indian Rubber (VIR) cables and flexibles (other than domestic type)	15 million core meters
54. Steel making through Electric arc furnace route by Mini Steel Plants	1,50,000 tonnes (subject to power assurance, capability to use sponge iron to the extent of a minimum of 30% and proposal involves installation of a new furnace not less than a capacity of 25 tonnes.)		(iii) Winding Wire	5,000 Mega tonne
			(iv) Power Cables	5,000 Core Kilometers
55. Cold rolled steel strips/sheets	50,000 tonnes;		(5) Motor Starters	5,00,000 numbers
(ii) after serial number 84 and the entries relating thereto, the following serial numbers and the entries shall be added, namely:—			(6) Contactors (including those use in Starters)	One million numbers
“85. White goods			(7) Low Tension (LT)/High Tension (HT) Capacitors	500 Mega Volt Ampere Reactive (MVAR)
(a) Deep freezers	} 2,00,000 numbers		(8) Starting and supression capacitors	One million numbers
(b) Washing machines (Programmable type)			(9) House service meters	One million numbers
(c) Dish Washers			(10) Miniature Circuit Breakers	2.5 million numbers
(d) Vacuum Cleaners			(11) Moulded Case Circuit Breakers	1,00,000 numbers
86. Ferro-nickel containing 10% nickel	15,000 tonnes [subject to power assurance minimum size of electric furnace to be used, will be 15 Mega Volt Amperes (MVA) and the proposed process route should include installation of preheating and pre-reduction facilities]		(12) Direct Current (DC)/Alternate Current (AC) Drives	5,000 numbers
			(13) Plugs and Sockets	2.5 million numbers
			88. Anti-friction bearing	10 million numbers
			89. Naphtha/Gas Cracker	3,00,000 to 4,00,000 tonnes (in terms of ethylene)
			90. Ethylene Propylene Diene Monomer	10,000 tonnes
			91. Butyl Rubber	25,000 tonnes

1	2	3
92. Alpha Olefin	1,00,000 tonnes	
93. Polybutene	5,000 tonnes	
94. Vinyl Acetate Monomer	10,000 tonnes	
95. Biaxially Oriented Polypropylene (BOPP) film	5,000 tonnes	
96. Polyester Film	5,000 tonnes"	

(iii) after serial number 96 and the entries relating thereto the following Note shall be added, namely:—

"Note: Under the minimum Economic Scale (MES) Scheme, the approval shall be granted for the following by-products which are obtained in the manufacture of certain main products for which minimum licensed capacity is prescribed under the above Order, namely:—

S. Name of the main product Name of the by-product
No. for which MES has been fixed

1	2	3
1. Polyester Staple Fibre	Methanol	
2. Polyester Filament Yarn	Methanol When Dimethyl Terephthalate (DMT) is used as raw material.	
3. Poly Vinyl Chloride + Vinyl Chloride Monomer	Chlorinated organic compounds	
4. Dimethyl Terephthalate	Methyl Benzoate	
5. Caprolactum	Ammonium Sulphate	
6. Linear Alkyl Benzene	Heavy Alkylate	
7. Acrylonitrile	Hydrogen Cyanide H ₂ N (HCN), Acetonitrile, Ammonium Sulphate	
8. Styrene	Toluene	
9. Mono Ethylene Glycol	Diethylene Glycol (DEG) Triethylene Glycol (TEG)/ Polyethylene Glycol (PEG)	
10. Phthalic Anhydride	Maleic Anhydride	

1	2	3
11. Oxo-alcohol		N-Butanol/Iso-Butanol
12. Propylene Oxide Polyols		Dichloropropane, Dichloroisopropyl ether, Dispropylene Glycol.
13. Naphtha/Gas Cracker		Carbon Black Feed Stock (CBFS)
14. Soda Ash (Modified solvey process)		Ammonium Chloride
15. Sodium Hydrosulphate (zinc process)		Zinc Hydroxide waste
16. Pentaerythritol		Sodium Formate
17. Toilet Soap		Glycerine
18. Diammonium Phosphate		Gypsum if phosphoric acid is produced capatively for Diammonium Phosphate (DAP)
19. Phosphoric Acid and Single Super Phosphate (SSP)		Hydro Glusilic Acid
20. Vanaspati		(i) Soap stock/acid oil (ii) Oxygen (iii) Glycerine and (iv) Fatty acids
21. Sugar		(i) Bagasse (ii) Pressmud (iii) Molasses".

[F. No. 5/49/89—M. I]
S.B. SINGH, Dy. Secy.

NOTE:

The principal notification No. S.O. 299 (E) was published in the Gazette of India Extraordinary, Part-II, Section 3, sub-section (ii) dated 26-5-1986 as subsequently amended by notification Nos:—

- (i) S.O. 16(E) dated 13-1-1987
- (ii) S.O. 981(E) dated 11-11-1987
- (iii) S.O. 620 (E) dated 28-6-1988
- (iv) S.O. 933(E) dated 7-10-1988
- (v) S.O. 10(E) dated 3-1-1989

